

Portable CD Player

CD

CD

“ (/) ”



“WALKMAN” Sony
Corporation

D-EJ855



가

..... 4

CD

1. CD	7
2. CD	7
3. CD	8

() 11

1 (1) 11

() 11

(PGM) 12

G-PROTECTION 13

CD 13

CD 14

(SOUND) 14

(AVLS) 15

(HOLD) 15

..... 16

CD

..... 17

..... 19

..... 21

..... 22

가

..... 23


..... 23

? 24


..... 26

(/) 27

CD ()




CD ()




* CD

CD ()



가




13


▶/▶▶: , AMS/ (8, 12)

◀◀: AMS/ (8, 12)

VOL +/-: + - .(8)



(가)



1. CD


① AC

② /

• /

• /

가



2. CD

① OPEN CD


② CD

OPEN



()

3. CD

VOL +/-



- 1
- 2 VOL +



- 1
- 2
- 3 VOL +

()



(CD

()



(CD



).

/



■(CD

■/CHARGE)

*2

(AMS*1)



*2

(AMS)



*2, *3

(AMS)



*2, *3

(AMS)



*2, *3



*2





*2

*1 Automatic Music Sensor()

*2

*3



• CD (CD ) CD  2

•
•

• AVLS가 "LIMIT" "NORM"

" (AVLS)"

• LINE OUT(OPTICAL) Ω()

CD


CD-R/CD-RW

CD CD-DA * CD-R/CD-RW 가




* CD-DA Compact Disc Digital Audio CD

CD

CD



PLAY MODE RPT()/ENT()



()

, 1 , , PGM

RPT/ENT

001 00:01



↵

1

(1)

“1”

PLAY MODE

005 01:25



1

()

MODE

“SHUF”가

PLAY

005 01:17



SHUF

(PGM)

CD

64

1 MODE "PGM" PLAY 

2  

3 RPT/ENT "000" 가 1 가 

4 2 3

5 PGM RPT/ENT

5 : RPT/ENT
 PGM :
 "PGM" :
 RPT/ENT : PLAY MODE RPT/ENT
 가 가


 • 3 64
 • 64

G-PROTECTION

G-PROTECTION

CD G-PROTECTION
 "2" G-PROTECTION
 "1"
 CD G-PROTECTION
 CD
 G-PROTECTION
 "1"
 "2"

G-PROTECTION()
 "1" "2"



1 2
G-PROTECTION

가 :
 - CD 가 :
 - CD
 - CD-R/CD-RW

CD


CD CD



" 가 CD 가
 *

* CD 가 CD
 "READING"

DISPLAY



** 1 , PGM

CD CD

CD


DISPLAY

CD

CD

CD

DISPLAY



* 1


PGM

(SOUND)

SOUND
2"

"BASS 1"

"BASS



SOUND

(AVLS)

AVLS(Automatic Volume Limiter System,)

AVLS() "LIMIT"

AVLS
NORM LIMIT



AVLS


AVLS
AVLS "NORM"

(HOLD)

CD 가

HOLD

CD



HOLD
가
CHARGE

HOLD CD

가

HOLD
CD

HOLD

HOLD
"HOLD"

CD

/

1 CD

(AC

)


2 ■(CD

■/CHARGE)

■/CHARGE

■

CD
CD



- CD 가
- AC 가 가
- 가

가 Ⓜ

CD , DAT CD

G-PROTECTION SOUND

- CD PROTECTION "1" G- Ⓜ
- SOUND Ⓜ LINE OUT (OPTICAL)

()

(CD)

가 CD CD

(MZ-R909) Sony MD Walkman CD

MD (POC-5B

,) RK-TXT1 CD

()

MD Walkman

- AC ("CD ")
- LR6(AA) ()


" "



. CD


- NC-6WM

1 CD




2

⊕ 2 가



- ### 3
- AC CD EXT
 - BATT/DC IN 4.5 V AC
 - /CHARGE

■/CHARGE
●CHARGE



"Charging" 가



CHARGE 가 . CD

가

CHARGE 가

■/CHARGE


"FULL"



4 AC

()

⊖



가

가

가



가



Lobatt*

가

*



1

4 1

•

가



CD


• LR6(AA)

1

LR6(AA)



+

2



2

CD



가

Lobatt*
*

가

가

CD



AC

CD

AC

- (AC /)” AC “ AC



- AC AC

- AC

-
-
-

- 가

-

- 가
-

-

가

▶ 가

• CD

• DC IN 4.5 V()

CD

• CD

가

CD

• CD

CD

CD가

• CD

가

가

가

• CD

가

가

CD

• CD

)

CD

가


가

CD

• CD

가

• CD



• CD

CD

가

?

가 가 Sony

	→		VOL +		.(8)
	→		▶/▶▶		.(8)
VOL +	→	AVLS	"NORM"		.(15)
	→	/	LINE OUT(OPTICAL)		.(7)
	→	/	LINE OUT(OPTICAL)		.(7)
가	→				.(7)
	→	가			
	→	가			
	→	LR6(AA)			
	→	20			.(19,
"000"	→	가			
"Lobatt" CD가	→	LR6(AA)			
	→				
"HiDCin"	→	" (/)"	AC		.(27)
	→		AC		
	→				.(7, 19, 21)
CD	→		HOLD		.(15)
CD가	→	CD가			.(23)
"Nodisc"가	→	CD			.(7)
	→	CD			
	→				.(19)
	→	(19, 21)			
	→	AC	AC		.(7)
	→	CD-R/CD-RW			CD-R/CD-RW
	→	CD-R/CD-RW			가

CHARGE CD가	가	→	.(15)	.HOLD
CD	VOL +/-	→	CD	가 .(17)
	가	→		, DAT .(17)
		→		.(17)
CD		→	■/CHARGE	.(19)
		→	■ . CD	■/CHARGE
		→	.(19)	
.()		→		
		▶▶▶	2) CD	(CD ▶▶▶▶
			가	AC
				.(7, 8, 19, 21)
CD		→		.(19)
CD CD가		→	CD	가 CD
	CD	→	CD	
	가			

: GaAlAs
 : $\lambda = 780 \text{ nm}$
 :
 : $44.6 \mu\text{W}$ ()
 가 7 mm
 200 mm
 .)
 D-A
 1
 20 - 20 000 Hz $_{-2}^{+1}$ dB(JEITA CP-307
)
 (4.5 V)
 ()
 47 0.7 V rms
 10
 ()
 16 5 mW + 5 mW
 ()
 : -21 ~ -15 dBm
 : 630 ~ 690 nm

- Sony NC-6WM 2 : 2.4 V DC
- LR6(AA) 2 : 3 V DC
- AC (DC IN 4.5 V):
 U/U2/CA2/E92/MX2/TW2/BR3 :
 120 V, 60 Hz
 CED/CET/CEW/CEX/CE7/EE/EE1/
 E13/G5/G6/G7/G8/BR1 : 220 - 230
 V, 50/60 Hz
 CEK/3CE7 : 230 - 240 V, 50 Hz
 AU2 : 240 V, 50 Hz
 JE.W/E33/EA3/KR4 : 100 - 240 V,
 50/60 Hz
 HK2 : 220 V, 50/60 Hz
 AR1/CN2 : 220 V, 50 Hz

*()
 (CD)
 CD

	G-PROTECTION	
	"1"	"2"
NC-6WM 2	19	19.5
(5 **)	66	71
(2 ***)	88	92
NC-6WM		
(2 ***)		

* JEITA(Japan Electronics and Information Technology Industries Association)

**

***Sony LR6(SG) ()

5°C - 35°C

(w/h/d)
 ()
 135.0 × 18.2 × 135.0 mm
 ()
 172 g

가

(/)

CD

AC


(1) / (1)
(2) (2)
(1)
(1)

AC	AC-E45HG
	SRS-Z1
	SRS-Z1000
	DCC-E345
	DCC-E34CP
	CPA-9C
	RK-G129
	RK-G136
CD TEXT	RK-TXT1
	POC-5B
	POC-10B
	POC-15B
	POC-5AB
	POC-10AB
	POC-15AB
	NC-6WM
	MDR-E848LP
	MDR-EX70LP
	MDR-A44L
	MDR-A110LP

/

가

가



가

가

<http://www.world.sony.com/>

Sony Corporation Printed in Malaysia
